

# Early Periodic Screening and Development (EPSDT) Immunization HEDIS Tips



# Improving Quality Outcomes

Line of Business: Medicaid, Marketplace, ••



**CHILDHOOD IMMUNIZATION STATUS (CIS)** 

**Measure Description** 

Children 2 years of age who had the recommended vaccines by their second birthday.

#### **Recommended Immunization:**

Vaccine Procedure		Codes	Modifier
4 doses	DТар	90697, 90698 90700, 90723	
3 doses	НіВ	90644, 90647, 90648, 90697 90698, 90748	
3 doses	НерА	90633	
3 doses	НерВ	90697, 90723, 90740, 90744 90747, 90748	
3 doses	IPV	90697, 90698, 90713, 90723	
2 doses	Flu	90655, 90657, 90661, 90673 90685-90689	EP
1 dose	MMR	90707, 90710	
4 doses	PCV	90670, 90671	
2 - 3 doses	RV	90680, 90681	
1 dose	VZV	90710, 90716	

Codes subject to change

# **Helpful Tips**

Document the name of the antigen and the dates of the immunization.

- Administer immunization during "Catch-Up visit" and/or "Sick visit" when medically appropriate.
- Timely submission of claims and encounter data to capture gap closure.

#### **Notes:**

- If the child is 2 years and 1 day old when services are rendered, the member is non-compliant for HEDIS ratings.
- A parent/guardian refusal of vaccinations is not a valid exclusion for HEDIS standards.

## The CIS HEDIS measure calculates a rate for each vaccine and 3 combination rates:

Combo 3	DTap, IPV, MMR, HiB, HepB, VZV, PCV
Combo 7	DTap, IPV, MMR, HiB, HepB, VZV, PCV, HepA, RV
Combo 10	DTap, IPV, MMR, HiB, HepB, VZV, PCV, HepA, RV, Flu

Codes subject to change



# IMMUNIZATION FOR ADOLESCENTS (IMA) MEASURE DESCRIPTION

**Measure Description** 

The percentage of adolescents 13 years of age who completed immunization on or before the member's 13th birthday.

#### **Recommended Immunizations:**

Vaccine Procedure	Codes	Modifier
HPV	90649, 90650, 90651	
MenACWY	90619, 90733, 90734	EP
Tdap	90715	

Codes subject to change

# The IMA HEDIS measure calculates a rate for each vaccine and 2 combination rates:

Combo 1	MCV, Tdap
Combo 2	MCV, Tdap, HPV

### **Appropriate Vaccine Administration codes for VFC:**

Code	Description	Modifier	
90460	Immunization administration through 18 years of age via any route of administration with counseling by physician or other qualified healthcare professional; first or only component of each vaccine or toxoid administered	EP	
90471	Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); one vaccine (single or combination vaccine/ toxoid)		
90472	Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); one vaccine (single or combination vaccine/ toxoid) each additional vaccine (single or combination vaccine/ toxoid) List separately in addition to code for primary procedure		
90473	Immunization administration by intranasal or oral route; one vaccine (single or combination vaccine/ toxoid)	EP	
90474	Immunization administration by intranasal or oral route; each additional vaccine (single or combination vaccine/ toxoid) List separately in addition to code for primary procedure		

Visit <u>mmis.georgia.gov</u> for complete EPSDT Healthcheck Manual

## **Helpful Tips**

The following criteria meet HPV HEDIS standards:

- 2 HPV doses 146 days apart or
- 3 HPV doses with different dates of service between the member's 9th and 13th birthday
- Document the name of the antigen and the dates of the immunization
- Administer immunization during "Catch-Up visit" and/or "Sick visit" when medically appropriate.
- Timely submission of claims and encounter data to capture gap closure.

#### Note:

- If the child is 13 years and 1 day old when services are rendered, the member is **non-compliant** for HEDIS ratings.
- Schedule a "nurse-only immunization visit" to ensure member has received 2nd HPV or other vaccines on or before 13th birthday

